

REMARKS

Claims 1-31 and 96 are currently pending in the application.

35 U.S.C. § 103 Rejections:

Claims 1, 6-10, 15-19, 28-31 and 96 were rejected under 35 U.S.C. § 103(a) as being unpatentable over Stancil, U.S. Patent 7,149,927, in view of Luke, U.S. Patent 6,505,267 and in further view of Steely, U.S. Patent 5,581,719. Applicant respectfully traverses this rejection.

The cited references, taken singly or in combination, fail to teach or suggest all of the elements of the independent claims. Independent claim 1 recites, in pertinent part:

“An SMBus host controller comprising

a memory storing microcode comprising at least two programs each for handling a bus command protocol, each program comprising at least one instruction; ...

an instruction fetch unit configured to read an instruction at an address in said memory, said address being specified by a program counter;

a finite-state machine configured to receive and **interpret the instructions** read by said instruction fetch unit and manage the data transfer between the SMBus interface and a register set in compliance with said instructions read from said memory; ... and

an address register array comprising a plurality of starting addresses of programs stored in said memory, said register comprising an offset for pointing at a specific register in said address register array (Emphasis added).

Independent claims 10 and 19 recite similar combinations of features.

In the office action, the Examiner continues to argue that Stancil teaches a finite-state machine, citing elements 112 and 116 of Fig. 2. However, the Examiner has not addressed the element of “a finite-state machine configured to ... interpret the instructions read by said instruction fetch unit.” Stancil is also silent with regard to elements 112 and/or 116 interpreting instructions. In fact, the only discussion of elements 112 and 116 in Stancil occurs in col. 4, lines 14-32, which state the following:

FIGS. 2-5 provide further detail regarding SMBus-to-JTAG emulator 110 pertaining to how the emulator converts between SMBus and JTAG. A more detailed block diagram of emulator 110 is shown in FIG. 2. As shown therein, the emulator 110 preferably comprises an SMBus state machine 112, an SMBus packet decoder/encoder 114 and a JTAG interface logic state machine 116. The SMBus state machine 112 comprises logic that receives SMBus packets from the host test system 102 and, with the help of the SMBus packet decoder/encoder 114, extracts the information from the packets necessary for the JTAG logic 122. The decoder/encoder 114 then creates JTAG-compliant communications that are sent to the JTAG logic 122 associated with the DUT 120 under the control of the JTAG interface logic state machine 116. Similarly, JTAG communications from the JTAG logic 122 are received by state machine 116, decoded by decoder/encoder 114 and are converted to SMBus-compliant packets by decoder/encoder 114 and provided to the host test system 102 under the control of the SMBus state machine 112. (Emphasis added).

Nothing in the above citation provides any teaching or suggestion that either of elements 112 or 116 interpret instructions. Furthermore, Luke provides no teaching or suggestion that, taken singly or in combination with Stancil, would result in any a finite-state machine configured to ... interpret the instructions read by said instruction fetch unit.” Thus Stancil fails to teach or suggest that elements 112 and/or 116 interpret instructions, while Luke and Steely fail to provide any teaching or suggestion that would remedy this deficiency. **Accordingly, Stancil in view of Luke and Steely fails to teach or suggest “a finite-state machine configured to ... interpret the instructions read by said instruction fetch unit.”**

Furthermore, contrary to the Examiner’s contention, Stancil in view of Luke and Steely fails to teach or suggest “an instruction fetch unit configured to read an instruction

at an address in said memory, said address being specified by a program counter.” In the office action, the Examiner acknowledges that “Stancil does not explicitly teach ... an instruction fetch unit configured to read instruction at an address from said memory.” The Examiner then contends that Luke teaches this element, citing element 90 of Fig. 6 and col. 7, lines 17-19 of Luke. Element 90 of Luke is taught as an op code latch:

An op code latch 90 stores the operational code for the present sequencer command addressed by the program counter 84. (Luke, col. 7, lines 17-19, emphasis added).

In the above citation, Luke provides no teaching or suggestion of op code latch 90 reading instructions from a memory. Moreover, Luke provides no additional details of op code latch 90 elsewhere, as the discussion of this element is limited to the portion cited above. The Examiner has further failed to explain how op code latch 90 would read an instruction from an address in memory, nor had the Examiner explained why op code latch would perform this function if combined with Stancil.

The Examiner then cites Luke at col. 9, lines 14-20 as teaching the portion of the element wherein the alleged instruction fetch unit is “configured to read instruction at an address from said memory”:

SUBR Causes a jump to a subroutine in external memory device 32. The sequencer 46 jumps to the address specified in the external memory device 32 and executes whatever codes that were previously programmed into the external memory device 32. The sequencer 46 continues sequentially executing instructions in the external memory device 32 until coming across a RETN command.

Nothing in the above citation teaches or suggests that the subroutine, codes, or instructions discussed in the above citation are read by op code latch 90. As previously noted, the discussion of op code latch 90 in Luke’s description is limited to col. 7, lines 17-19. Thus, Luke is silent with respect to op code latch 90 performing any function

other than storing “operational code for the present sequencer command.” Steely provides no teaching or suggestion that would remedy the deficiency of Stancil in view of Luke. **Thus, since Luke and Steely fail to remedy the acknowledged deficiency in Stancil, the prior art references, taken singly or in combination, fail to teach or suggest “an instruction fetch unit configured to read an instruction at an address in said memory, said address being specified by a program counter.”**

Applicant further submits that, even if one were to accept the Examiner’s contention regarding op code latch 90 being equivalent to Applicant’s recited instruction fetch unit (a contention with which Applicant does not agree), there would still be no motivation to make the proposed combination with Stancil. As noted above, Stancil does not teach or suggest “a finite-state machine configured to ... interpret the instructions read by said instruction fetch unit,” while Luke fails to remedy this deficiency. More particularly, since Stancil fails to provide any teaching or suggestion that elements 112 and/or 116 interpret instructions, one of ordinary skill in the art would not be motivated to provide an instruction fetch unit for these elements, as they would be incapable of interpreting fetched instructions. **Accordingly, in addition to the Stancil in view of Luke and Steely failing to teach all of the elements of the claims, there is no motivation to make the combination proposed by the Examiner.**


For at least the reasons given above, Applicant submits that Stancil in view of Luke and in further view of Steely fails to teach or suggest all of the elements of the independent claims, as well as their associated dependent claims. Accordingly, removal of the 35 U.S.C. § 103(a) rejection is respectfully requested.

CONCLUSION:

Applicant submits the application is in condition for allowance, and an early notice to that effect is requested.

If any fees are due, the Commissioner is authorized to charge said fees to Meyertons, Hood, Kivlin, Kowert, & Goetzel, P.C. Deposit Account No. 501505/5500-92201/EAH.

Respectfully submitted,



Erik A. Neter
Reg. No. 50,652
AGENT FOR APPLICANT(S)

Meyertons, Hood, Kivlin, Kowert, & Goetzel, P.C.
P.O. Box 398
Austin, TX 78767-0398
Phone: (512) 853-8800

Date: May 5, 2009